

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device



Fusion



LTMG943-A3CB3CW3JG2C-WHT-180*

Model #	Fusion	Model #	LTMG943-A3CB3CW3JG2C-WHT-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #3	SMA Jack, Cellular/LTE (3G & 4G)	Cable 3	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #4	SMA Jack, Cellular/LTE (3G & 4G)	Cable 4	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #5	Reverse SMA Jack, WiFi	Cable 5	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #6	Reverse SMA Jack, WiFi	Cable 6	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #7	Reverse SMA Jack, WiFi	Cable 7	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #8	SMA Jack, GNSS	Cable 8	RG-174, SMA Plug, 1575 & 1602 MHz

*LTMG also available in Black (BLK)

Prepared by:

Mobile Mark, Inc
 1140 W. Thorndale Ave. • Itasca, IL 60143, USA
 Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
 8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
 Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp



Vanguard 5530

MobileMark
antenna solutions



LTMG402-3C3C3J2C-WHT-180*

Model #	Vanguard 5530	Model #	LTMG402-3C3C3J2C-WHT-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1710- 3700 MHz
Connector #3	Reverse SMA Jack, WiFi	Cable 3	Low Loss-195, Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #4	SMA Jack, GNSS	Cable 4	RG-174, SMA Plug, 1575 & 1602 MHz

*LTMG also available in Black (BLK)

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp



Vanguard 5530

MobileMark
antenna solutions



MXFG402-3C3C3J2C-BLK-180*

Model #	Vanguard 5530	Model #	MXFG402-3C3C3J2C-BLK-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #3	Reverse SMA Jack, WiFi	Cable 3	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #4	SMA Jack, GNSS	Cable 4	RG-174, SMA Plug, 1575 & 1602 MHz



*Alternate antenna model LLPG402 Series

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp



Vanguard 3000

MobileMark
antenna solutions



LTMG402-3C3C3J2C-WHT-180*

Model #	Vanguard 3000	Model #	LTMG402-3C3C3J2C-WHT-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #3	Reverse SMA Jack, WiFi	Cable 3	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #4	SMA Jack, GNSS	Cable 4	RG-174, SMA Plug, 1575 & 1602 MHz

*LTM also available in Black (BLK)

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp

MobileMark
antenna solutions



Vanguard 3000



MXFG402-3C3C3J2C-BLK-180*

Model #	Vanguard 3000	Model #	MXFG402-3C3C3J2C-BLK-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #3	Reverse SMA Jack, WiFi	Cable 3	Low Loss-195 Reverse Pol. SMA Plug, 2.4-2.5 & 4.9-6.0 GHz
Connector #4	SMA Jack, GNSS	Cable 4	RG-174, SMA Plug, 1575 & 1602 MHz



*Alternate antenna model LLPG402 Series

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp



Vanguard 600

MobileMark
antenna solutions



LTM302-3C3C00-WHT-180*

Model #	Vanguard 600	Model #	LTM302-3C3C00-WHT-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz

*LTM also available in Black (BLK)

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com

Router & Antenna Match-Up

This guide shows Mobile Mark antennas that are compatible with your Calamp router device

CalAmp

MobileMark
antenna solutions



Vanguard 600



MXF302-3C3C00-WHT-180*

Model #	Vanguard 600	Model #	MXF302-3C3C00-WHT-180
Connector #1	SMA Jack, Cellular/LTE (3G & 4G)	Cable 1	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz
Connector #2	SMA Jack, Cellular/LTE (3G & 4G)	Cable 2	Low Loss-195, SMA Plug, 694-960 MHz & 1700-3700 MHz



*Alternate antenna model LLP302 Series

Prepared by:

Mobile Mark, Inc
1140 W. Thorndale Ave. • Itasca, IL 60143, USA
Tel: 1-847-671-6690 • Fax: 847-250-5120
info@mobilemark.com

Mobile Mark Europe Ltd
8 Miras Business Park • Hednesford, Staffs, WS12 2FS, UK
Tel: +44 1543 459555
enquiries@mobilemarkeurope.co.uk

www.mobilemark.com