

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **Inhand** Router.



Enterprise



IIoT



Vehicle/Mobile



Embedded



GATEWAY & ANTENNA

Match-Up Guide


This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  Enterprise Routers.



GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand ER800 Router



Connections:	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
	1	2	3	4	5	6
Option #1						
BPNG942-3C3J2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #2						
LTMWG942-A3CB3CW3JG2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C002C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C00G2C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√


ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand ER600 Router



Connections:	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
	1	2	3	4	5	6
Option #1						
BPNG942-3C3J00 (4x 5G/LTE)	√	√	√	√		
Option #2						
LTMWG942-A3CB3CW3J00 (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand ODU2000** Router



Connections:	5G/LTE 450 - 6000 MHz						WiFi 2.4 & 5 GHz	GNSS
	1	2	3	4	5	6	7	8
Option #1								
LTXG1761-KKA (6x 5G/LTE, 1x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√
Option #2								
BPNG942-3K3K2A (4x 5G/LTE, 1x WiFi 6E, 1x GNSS)	√	√	√	√			√	√
Option #3								
LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√			√	√
Option #4								
BPNG940-3K002A (4x 5G/LTE, 1x GNSS)	√	√	√	√				√
Option #5								
LTMWG940-A3KB3K00G2A (4x 5G/LTE, 1x GNSS)	√	√	√	√				√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and TNC plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug

WiFi antennas element attached with LL-195 cable and Rev Pol TNC plug connectors.


Cable length typically 15-feet but can be specified.

LTM and LTX radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  IoT Routers.



GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand IR301** & **IR302** Router



IR301 & **IR302** Router



Connections:	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
	1	2	3	4	5	6
Option #1						
BPNG942-3C3J2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #2						
LTMWG942-A3CB3CW3JG2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C002C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C00G2C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand IR305 Router



	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
	Connections:	1	2	3
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #4				
RM-WLF-3C (1x 4G LTE)	✓			
RM-WLF-3C (1x 4G LTE)		✓		
RM-WHF-3J (1x WiFi 6E)			✓	
RM-WHF-3J (1x WiFi 6E)				✓

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **IR611** Router



	4G/LTE 694 - 3700 MHz	WiFi 2.4 & 5 GHz	
Connections:	1	2	3
Option #1			
SMW-414-3C3J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #2			
LTM402-3C003J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #3			
CVW502-3C003J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #4			
RM-WLF-3C (4x 4G LTE)	√		
RM-WHF-3J (1x WiFi 6E)		√	
RM-WHF-3J (1x WiFi 6E)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM, SMW, and RM radomes available in either Black or White. CVW radomes available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand IR615 Router



	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
	Connections:	1	2	3
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	✓	✓	✓	✓
Option #4				
RM-WLF-3C (1x 4G LTE)	✓			
RM-WLF-3C (1x 4G LTE)		✓		
RM-WHF-3J (1x WiFi 6E)			✓	
RM-WHF-3J (1x WiFi 6E)				✓

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand IR900 Router



	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
	Connections: 1	2	3	4
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #4				
RM-WLF-3C (1x 4G LTE)	√			
RM-WLF-3C (1x 4G LTE)		√		
RM-WHF-3J (1x WiFi 6E)			√	
RM-WHF-3J (1x WiFi 6E)				√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only



GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **Inhand CR202** Router



CR202 Router



	4G/LTE 694 - 3700 MHz	
Connections:	1	2
Option #1		
LMW302-3C3C00 (2x 4G LTE)	√	√
Option #2		
PSKN5-626-S (2x 4G LTE)	√	
PSKN5-626-S (2x 4G LTE)		√
Option #3		
CVW208-7C7C (2x 4G LTE)	√	√
Option #4		
RM-WLF-3C (1x 5G/LTE)	√	
RM-WLF-3C (1x 5G/LTE)		√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LMW and RM radomes available in either Black or White. PSKN5 and CVW radomes available in Black Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand** Vehicle/Mobile Routers.



VG814RAIL



VG814ROAD



VG7104G



VG7105G



VT300




VT200



MXF Series



LTM Series



LLP Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **G814 Rail** Gateway



LTM Series

Connections:	5G/LTE 450 - 7200 MHz				WiFi 2.4 & 5 GHz		GNSS
	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
PR-LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and TNC plug connectors. GNSS antenna element attached with RG-174 cable and TNC Plug.

WiFi antennas element attached with LL-195 cable and Rev Pol TNC plug connectors.

Cable length typically 15-feet but can be specified.

LTM radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  **G814 Road** Gateway



	5G/LTE 450 - 7200 MHz				WiFi 2.4 & 5 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3HAB3HAW3HVG2HC (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand G710 4G** Gateway



inhand G710 4G Gateway



	4G LTE 450 - 3700 MHz		WiFi 2.4 & 5 GHz			GNSS
	Connections:	1	2	3	4	
Option #1						
LLPG602-3C3C3J3J2C (2x 4G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√
Option #2						
LTMG602-3C3C3J3J2C (2x 4G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.

WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.

Cable length typically 15-feet but can be specified.

LLP and LTM radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **G710 5G** Gateway



G710 5G Gateway



	5G LTE 617 - 7200 MHz				WiFi 2.4 & 5 GHz			GNSS
Connections:	1	2	3	4	5	6	7	8
Option #1								
LTMWG943-A3CB3CW3JG2C (4x 5G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 LTM radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand VT300** Gateway



VT300 Gateway



LTM Series



LLP Series



MXF Series

	4G LTE 694 - 3700 MHz	GNSS
Connections:	1	2
Option #1		
LTMG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #2		
LLPG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3		
MXFG302-3C002C (1x 4G LTE, 1x GNSS)	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.

WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.

Cable length typically 15-feet but can be specified.

LTM, LLP, and MXF radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand VT200** Gateway



VT200 Gateway



	4G LTE 694 - 3700 MHz	GNSS
Connections:	1	2
Option #1		
LTMG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #2		
LLPG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3		
MXFG302-3C002C (1x 4G LTE, 1x GNSS)	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.

WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.




Cable length typically 15-feet but can be specified.

LTM, LLP, and MXF radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  Embedded Routers.



GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  **InBox710** Gateway



	4G LTE 694 - 3700 MHz	WiFi
Connections:	1	2
Option #1		
CVW402-3C003J00 (1x 4G LTE, 1x WiFi)	√	√
Option #2		
RM-WLF-3C (1x 4G LTE)	√	
RM-WHF-3J (1x WiFi)		√

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 CVW and RM radomes available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **inhand InBox720 4G** Gateway



InBox720 4G Gateway



CVW Series



RM Series

	4G LTE 694 - 3700 MHz	WiFi
Connections:	1	2
Option #1		
CVW402-3C003J00 (1x 4G LTE, 1x WiFi)	√	√
Option #2		
RM-WLF-3C (1x 4G LTE)	√	
RM-WHF-3J (1x WiFi)		√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 CVW and RM radomes available in either Black or White.