GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand Router.

Enterprise



IIoT



Vehicle/Mobile



Embedded



© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand Enterprise Routers.


ER800


ER600


ER605


ODU2000


FWA12


BPN Series


LTMWG900 Series


LTX1700 Series


PSKN4-W6E


PSKN5-626


SM Series


NXD-W

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand ER800 Router









	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4	5	6
Option #1						
BPNG942-3C3J2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #2						
LTMWG942-A3CB3CW3JG2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C002C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C00G2C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand ER600 Router









	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4	5	6
Option #1						
BPNG942-3C3J00 (4x 5G/LTE)	√	√	√	√		
Option #2						
LTMWG942-A3CB3CW3J00 (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand ER605 Router


BPN Series


LTM Series


PSKN4-W5E


SM Series


NXD-W



	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4	5	6
Option #1						
BPN940-3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W5E (1x WiFi 6E)					√	
PSKN4-W5E (1x WiFi 6E)						√
Option #2						
LTMWG940-A3CB3C0000 (4x 5G/LTE)	√	√	√	√		
PSKN4-W5E (1x WiFi 6E)					√	
PSKN4-W5E (1x WiFi 6E)						√
Option #3						
SM540-C (4x 5G/LTE)	√	√	√	√		
NXD-W (WiFi 6E)					√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, SM, and NXD-W radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand ODU2000 Router









	5G/LTE 450 - 6000 MHz						WiFi 2.4 & 5 GHz	GNSS
Connections:	1	2	3	4	5	6	7	8
Option #1								
LTXG1761-KKA (6x 5G/LTE, 1x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√
Option #2								
BPNG942-3K3K2A (4x 5G/LTE, 1x WiFi 6E, 1x GNSS)	√	√	√	√			√	√
Option #3								
LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√			√	√
Option #4								
BPNG940-3K002A (4x 5G/LTE, 1x GNSS)	√	√	√	√				√
Option #5								
LTMWG940-A3KB3K00G2A (4x 5G/LTE, 1x GNSS)	√	√	√	√				√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and TNC plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug
WiFi antennas element attached with LL-195 cable and Rev Pol TNC plug connectors.
Cable length typically 15-feet but can be specified.
LTM and LTX radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand **FWA12** Router







	5G/LTE 450 - 6000 MHz					
Connections:	1	2	3	4	5	6
Option #1						
LTX1760-C (6x 5G/LTE)	√	√	√	√	√	√
Option #2						
PSKN5-626 (1x 5G/LTE)	√					
PSKN5-626 (1x 5G/LTE)		√				
PSKN5-626 (1x 5G/LTE)			√			
PSKN5-626 (1x 5G/LTE)				√		
PSKN5-626 (1x 5G/LTE)					√	
PSKN5-626 (1x 5G/LTE)						√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and TNC plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug
WiFi antennas element attached with LL-195 cable and Rev Pol TNC plug connectors.
Cable length typically 15-feet but can be specified.
LTX radomes available in either Black or White. PSKN5 radome available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand IIoT Routers.


IR301/302


IR305


IR611


IR615


IR900



CR202


PSKN5-626


LTM Series


LLP Series


CVW Series


RM Series


SMW Series


LMW Series

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand **IR301** & **IR302** Router









	5G/LTE 450 - 6000 MHz				WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4	5	6
Option #1						
BPNG942-3C3J2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #2						
LTMWG942-A3CB3CW3JG2C (4x 5G/LTE, 2x WiFi 6E)	√	√	√	√	√	√
Option #3						
BPNG940-3C002C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√
Option #4						
LTMWG940-A3CB3C00G2C (4x 5G/LTE)	√	√	√	√		
PSKN4-W6E-RS (1x WiFi 6E)					√	
PSKN4-W6E-RS (1x WiFi 6E)						√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White. BPN radome available in White Only. PSKN4 radome available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand IR305 Router











	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #4				
RM-WLF-3C (1x 4G LTE)	√			
RM-WLF-3C (1x 4G LTE)		√		
RM-WHF-3J (1x WiFi 6E)			√	
RM-WHF-3J (1x WiFi 6E)				√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand IR611 Router











	4G/LTE 694 - 3700 MHz	WiFi 2.4 & 5 GHz	
Connections:	1	2	3
Option #1			
SMW-414-3C3J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #2			
LTM402-3C003J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #3			
CVW502-3C003J3J00 (1x 4G LTE, 2x WiFi 6E)	√	√	√
Option #4			
RM-WLF-3C (4x 4G LTE)	√		
RM-WHF-3J (1x WiFi 6E)		√	
RM-WHF-3J (1x WiFi 6E)			√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, SMW, and RM radomes available in either Black or White. CVW radomes available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand IR615 Router











	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #4				
RM-WLF-3C (1x 4G LTE)	√			
RM-WLF-3C (1x 4G LTE)		√		
RM-WHF-3J (1x WiFi 6E)			√	
RM-WHF-3J (1x WiFi 6E)				√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand IR900 Router


LTM Series


LLP Series


CVW Series


RM-WLF



	4G/LTE 694 - 3700 MHz		WiFi 2.4 & 5 GHz	
Connections:	1	2	3	4
Option #1				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #2				
LLP502-3C3C3J3J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #3				
CVW502-2C2C2J2J00 (2x 4G LTE, 2x WiFi 6E)	√	√	√	√
Option #4				
RM-WLF-3C (1x 4G LTE)	√			
RM-WLF-3C (1x 4G LTE)		√		
RM-WHF-3J (1x WiFi 6E)			√	
RM-WHF-3J (1x WiFi 6E)				√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, LLP, and RM radomes available in either Black or White. CVW radomes available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand CR202 Router











	4G/LTE 694 - 3700 MHz	
Connections:	1	2
Option #1		
LMW302-3C3C00 (2x 4G LTE)	√	√
Option #2		
PSKN5-626-S (2x 4G LTE)	√	
PSKN5-626-S (2x 4G LTE)		√
Option #3		
CVW208-7C7C (2x 4G LTE)	√	√
Option #4		
RM-WLF-3C (1x 5G/LTE)	√	
RM-WLF-3C (1x 5G/LTE)		√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LMW and RM radomes available in either Black or White. PSKN5 and CVW radomes available in Black Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand Vehicle/Mobile Routers.


VG814RAIL


VG814ROAD


VG7104G


VG7105G


VT300


VT200


MXF Series


LTM Series


LLP Series

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand **G814 Rail** Gateway





	5G/LTE 450 - 7200 MHz				WiFi 2.4 & 5 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
PR-LTMWG942-A3KB3KW3KG2A (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and TNC plug connectors. GNSS antenna element attached with RG-174 cable and TNC Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol TNC plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand **G814 Road** Gateway





	5G/LTE 450 - 7200 MHz				WiFi 2.4 & 5 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3HAB3HAW3HVG2HC (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand **G710 4G** Gateway







	4G LTE 450 - 3700 MHz		WiFi 2.4 & 5 GHz			GNSS
Connections:	1	2	3	4	5	6
Option #1						
LLPG602-3C3C3J3J3J2C (2x 4G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√
Option #2						
LTMG602-3C3C3J3J3J2C (2x 4G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LLP and LTM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand **G710 5G** Gateway





	5G LTE 617 - 7200 MHz				WiFi 2.4 & 5 GHz			GNSS
Connections:	1	2	3	4	5	6	7	8
Option #1								
LTMWG943-A3CB3CW3JG2C (4x 5G LTE, 3x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand VT300 Gateway









	4G LTE 694 - 3700 MHz	GNSS
Connections:	1	2
Option #1		
LTMG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #2		
LLPG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3		
MXFG302-3C002C (1x 4G LTE, 1x GNSS)	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, LLP, and MXF radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand VT200 Gateway









	4G LTE 694 - 3700 MHz	GNSS
Connections:	1	2
Option #1		
LTMG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #2		
LLPG302-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3		
MXFG302-3C002C (1x 4G LTE, 1x GNSS)	√	√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors. GNSS antenna element attached with RG-174 cable and SMA Plug.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
LTM, LLP, and MXF radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inhand Embedded Routers.



InBox710



InBox7204G



InBox7205G



CVW Series



LTMWG900 Series



RM Series

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your inHand **InBox710** Gateway







	4G LTE 694 - 3700 MHz	WiFi
Connections:	1	2
Option #1		
CVW402-3C003J00 (1x 4G LTE, 1x WiFi)	√	√
Option #2		
RM-WLF-3C (1x 4G LTE)	√	
RM-WHF-3J (1x WiFi)		√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
CVW and RM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **InBox720 4G** Gateway







	4G LTE 694 - 3700 MHz	WiFi
Connections:	1	2
Option #1		
CVW402-3C003J00 (1x 4G LTE, 1x WiFi)	√	√
Option #2		
RM-WLF-3C (1x 4G LTE)	√	
RM-WHF-3J (1x WiFi)		√

ANTENNA CONNECTION NOTES:
Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
Cable length typically 15-feet but can be specified.
CVW and RM radomes available in either Black or White.

© 2025 Mobile Mark, Inc.