Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH® Routers, Modems, and Gateways.


MultiConnect® rCell 600


MultiConnect® eCell CBRS Cat 12


MultiConnect® eCell Cat 4


MultiConnect® CBRS Wi-Fi AP


MultiConnect® rCell 100


MultiConnect® microCell Cat 6


MultiConnect® microCell Cat 1


MultiConnect® microCell Cat 4


MultiConnect® eCell CBRS


MultiConnect® rCell 500


MultiConnect® rCell 300


Conduit® AP LoRa


Conduit® -246


Conduit® -247


Conduit® IP67 Base Station


Conduit® IP67 200


Conduit® 300


Conduit® AP 300

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® rCell 600.


LTM Series


LLP Series


CVW Series



	LTE		Wi-Fi	
Connections:	1	2	3	4
Option #1				
LTM508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #2				
LLP508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #3				
CVW508-7C7C7J7J00 (2x LTE, 2x WiFi)	√	√	√	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular and WiFi.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, and CVW Series available in Black and White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH® **MultiConnect® eCell CBRS Cat 12.**


LTM Series


LLP Series


CVW Series


LTB Series


RM Series



	CBRS	
Connections:	1	2
Option #1		
LTM308-3C3C00 (2x CBRS)	√	√
Option #2		
LLP308-3C3C00 (2x CBRS)	√	√
Option #3		
CVW308-7C7C00 (2x CBRS)	√	√
Option #4		
LTB308-3C3C00 (2x CBRS)	√	√
Option #5		
RM-WLF-3C (1x CBRS)	√	
RM-WLF-3C (1x CBRS)		√

ANTENNA CONNECTION NOTES:
The CBRS elements are attached with LL-195 cable and SMA Plug. CVW Series elements are attached with LMR-100 for CBRS.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, CVW, and RM Series available in Black and White. LTB Series available in Grey Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® eCell Cat 4.


RM Series


CVL-WLF


PSKN3-700/2700S



	LTE
Connections:	1
Option #1	
RM-WLF-3C (1x LTE)	√
Option #2	
CVL-WLF-2C (1x LTE)	√
Option #3	
PSKN3-700/2700S (1x LTE)	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug. CVL Series elements are attached with RG-174 for Cellular.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVL and PSKN3 Series available in Black Only. RM Series available in Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH® **MultiConnect® CBRS Wi-Fi AP Cat 12.**


PSKN3-3500S


SMW-208


DOD3-600/7200


ECOM6-3500



	CBRS	
Connections:	1	2
Option #1		
PSKN3-3500S (2x CBRS)	√	√
Option #2		
SMW-208-3C3C (2x CBRS)	√	√
Option #3		
DOD3-600/7200-3C3C (2x CBRS)	√	√
Option #4		
ECOM6-3500-3C (1x CBRS)	√	
ECOM6-3500-3C (1x CBRS)		√

ANTENNA CONNECTION NOTES:
The CBRS elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
PSKN, DOD3, and ECOM6 are available in Black Only. SMW Series available in Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH® MultiConnect® rCell 100.


LTM Series


LLP Series


CVW Series


PSKN3-700/2700S


PSKN3-24/55S



	LTE		Wi-Fi	GNSS
Connections:	1	2	3	4
Option #1				
LTM408-3C3C3J00 (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #2				
LLP408-3C3C3J00 (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #3				
CVW408-7C7C7J00 (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #4				
PSKN3-700/2700S (1x LTE)	√			
PSKN3-700/2700S (1x LTE)		√		
PSKN3-24/55S (1x WiFi)			√	

ANTENNA CONNECTION NOTES:
The Cellular and GNSS elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular, WiFi, and GNSS.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, CVW and LLP Series available in Black and White. PSKN3 Series available in Black Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® microCell Cat 6.









	LTE
Connections:	1
Option #1	
RM-WB1-3C (1x LTE)	√
Option #2	
CVL-WB2-2C (1x LTE)	√
Option #3	
PSKN5-626 (1x LTE)	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable (RG-174 for CVL Series) and SMA Plug. CVL Series elements are attached with RG-174 for Cellular.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black or White. CVL and PSKN3 Series available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® microCell Cat 1.


RM Series


CVL-WLF


PSKN3-700/2700S



	LTE
Connections:	1
Option #1	
RM-WLF-3C (1x LTE)	√
Option #2	
CVL-WLF-2C (1x LTE)	√
Option #3	
PSKN3-700/2700S (1x LTE)	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug. CVL Series elements are attached with RG-174 for Cellular.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black or White. CVL and PSKN3 Series available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® microCell Cat 4.


RM Series


CVL-WLF


PSKN3-700/2700S



	LTE
Connections:	1
Option #1	
RM-WLF-3C (1x LTE)	√
Option #2	
CVL-WLF-2C (1x LTE)	√
Option #3	
PSKN3-700/2700S (1x LTE)	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug. CVL Series elements are attached with RG-174 for Cellular.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black or White. CVL and PSKN3 Series available in Black Only

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH® MultiConnect® eCell CBRS.


LTM Series


LLP Series


CVW Series


LTB Series


RM Series



	CBRS	
Connections:	1	2
Option #1		
LTM308-3C3C00 (2x CBRS)	√	√
Option #2		
LLP308-3C3C00 (2x CBRS)	√	√
Option #3		
CVW308-7C7C00 (2x CBRS)	√	√
Option #4		
LTB308-3C3C00 (2x CBRS)	√	√
Option #5		
RM-WLF-3C (1x CBRS)	√	
RM-WLF-3C (1x CBRS)		√

ANTENNA CONNECTION NOTES:
The CBRS elements are attached with LL-195 cable and SMA Plug. CVW Series elements are attached with LMR-100 for CBRS.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, CVW, and RM Series available in Black and White. LTB Series available in Grey Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH MultiConnect® rCell 500.


LTM Series


LLP Series


CVW Series



	LTE		Wi-Fi	
Connections:	1	2	3	4
Option #1				
LTM508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #2				
LLP508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #3				
CVW508-7C7C7J7J00 (2x LTE, 2x WiFi)	√	√	√	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular and WiFi.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, and CVW Series available in Black and White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH rCell 300 Series.


LTM Series


LLP Series


CVW Series


PSKN3-700/2700S


PSKN3-24/55S



	LTE		Wi-Fi	GNSS
Connections:	1	2	3	4
Option #1				
LTM408-3C3C3J2C (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #2				
LLP408-3C3C3J2C (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #3				
CVW408-7C7C7J2C (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #4				
PSKN3-700/2700S (1x LTE)	√			
PSKN3-700/2700S (1x LTE)		√		
PSKN3-24/55S (1x WiFi)			√	

ANTENNA CONNECTION NOTES:
The Cellular and GNSS elements are attached with LL-195 cable (LMR-100 for CVW Series) and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular, WiFi, and GNSS.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, and CVW Series available in Black or White. PSKN3 Series available in Black Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit® AP LoRa.


EOD925


RM Series


PSKN3-925S


HD3-915


EM-900/2400



	LoRa
Connections:	1
Option #1	
E0D925-K-120 (1x LoRa)	√
Option #2	
RM-WLF-3C (1x LoRa)	√
Option #3	
PSKN3-925S (1x LoRa)	√
Option #4	
HD3-915-3C (1x LoRa)	√
Option #5	
EM-900/2400-2C (1x LoRa)	√

ANTENNA CONNECTION NOTES:
EOD925-K-120 includes a 10 ft (3.05 m) LL-195 cable with an RP-SMA plug. Cable and connector configurations vary by antenna model.
The LoRa elements are attached with LL-195 cable and SMA Plug. EM Series elements are attached with RG-174 for LoRa.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM and HD Series available in Black or White. PSKN3 Series available in Black Only. EM Series available in Blue Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit®-246.


LTM Series


LLP Series


CVW Series


PSKN3-700/2700S


PSKN3-24/55S



	LTE		Wi-Fi
Connections:	1	2	3
Option #1			
LTM408-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√
Option #2			
LLP408-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√
Option #3			
CVW408-7C7C7J00 (2x LTE, 1x WiFi)	√	√	√
Option #4			
PSKN3-700/2700S (2x LTE)	√		
PSKN3-700/2700S (2x LTE)		√	
PSKN3-24/55S (1x WiFi)			√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular and WiFi.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, and CVW Series available in Black or White. PSKN3 Series available in Black Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit®-247.









	LTE		Wi-Fi	GNSS
Connections:	1	2	3	4
Option #1				
LTM408-3C3C3J2C (2x LTE, 1x WiFi, 1x GNSS)	√	√	√	√
Option #2				
LLP408-3C3C3J2C (2x LTE, 1x WiFi , 1x GNSS)	√	√	√	√
Option #3				
CVW408-7C7C7J2C (2x LTE, 1x WiFi , 1x GNSS)	√	√	√	√

ANTENNA CONNECTION NOTES:
The Cellular and GNSS elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
CVW Series elements are attached with LMR-100 for Cellular and WiFi.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM, LLP, and CVW Series available in Black or White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide


This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit® IP67 LoRa Base Station.


BPN Series


LTMWG900 Series


ECO5-915RN


DOD3-600/7200



	LTE/LoRa				Wi-Fi	GNSS
Connections:	1	2	3	4	5	6
Option #1 - (With Wi-Fi/BT & GPS)						
BPN941-XXX (4x LoRa, 1x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #2 - (With Wi-Fi/BT & GPS)						
LTMWG941-A3XB3XW3X00 (4x LoRa, 1x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #3 - (LTE/LoRa)						
ECO5-915RN (1x LTE/LoRa)	√					
ECO5-915RN (1x LTE/LoRa)		√				
ECO5-915RN (1x LTE/LoRa)			√			
Option #4 - (LTE/LoRa)						
LTMWG940-A3XB3X0000 (4x LTE/LoRa)	√	√	√	√		
Option #5 - (LoRa Only)						
ECO5-915RN (1x LoRa)	√					
ECO5-915RN (1x LoRa)		√				

ANTENNA CONNECTION NOTES:
The Cellular/LoRa and GNSS elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM and ECO Series available in Black or White. DOD3 Series available in Black Only. BPN Series available in White Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit® IP67 200 LoRa.









	LoRa
Connections:	1
Option #1	
E0D925-K-120 (1x LoRa)	√
Option #2	
ECO5-915RN (1x LoRa)	√
Option #3	
HD3-915-3X (1x LoRa)	√

ANTENNA CONNECTION NOTES:
The LoRa elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
ECO and HD Series available in Black and White.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit® 300.


SM Series


LTMWG900 Series


BPN Series


MX900 Series



	LTE				Wi-Fi	GNSS
Connections:	1	2	3	4	5	6
Option #1						
SMG641-CJC (4x LTE, 1x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #2						
LTMWG941-A3CB3CW3JG2C (4x LTE, 1x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #3						
BPN941-CJC (4x LTE, 1x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #4						
MXG941-CJC (4x LTE, 1x WiFi, 1x GNSS)	√	√	√	√	√	√

ANTENNA CONNECTION NOTES:
The Cellular and GNSS elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
SM, LTM, and MX Series available in Black or White. BPN Series available in White Only.

© 2025 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions®

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your MULTITECH Conduit® AP300


RM Series


CVL-WB2


PSKN5-626



	LTE
Connections:	1
Option #1	
RM-WB1-3C (1x LTE)	√
Option #2	
CVL-WB2-2C (1x LTE)	√
Option #3	
PSKN5-626 (1x LTE)	√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug. CVL Series elements are attached with RG-174 for Cellular.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM and CVW Series available in Black or White. PSKN Series available in Black Only.

© 2025 Mobile Mark, Inc.