MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks Routers, Gateways, and Modems.

RUT Routers



RUTX Routers



TRB Gateways



TRM Modems



© 2026 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT Routers.



RUT200



RUT240



RUT241



RUT360



RUTM50



RUTM52



RUTM54



RUT950



RUT951



RUT955



RUT956


CVW Series


PSKN3-700/2700


PSKN3-24/55RS


MX900 Series


RM Series


LTB Series


LTM Series


SM Series

© 2026 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT200 Router.


CVW402


PSKN3-700/2700


PSKN3-24/55RS


RM Series


LTB302





	4G LTE		Wi-Fi
Connections:	1	2	3
Option #1 - Industrial IoT, Enterprise			
CVW402-3C3C3J00 (2x 4G LTE, 1x WiFi)	√	√	√
Option #2 - Enterprise			
PSKN3-700/2700 (1x 4G LTE)	√		
PSKN3-700/2700 (1x 4G LTE)		√	
PSKN3-24/55RS (1x WiFi)			√
Option #3 - Industrial IoT, Enterprise			
RM-WLF (1x 4G LTE)	√		
RM-WLF (1x 4G LTE)		√	
RM-WHF (1x WiFi)			√
Option #4 (No WiFi) - Industrial IoT, Enterprise			
LTB302-3C3C00 (2x 4G LTE)	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVW and PSKN Series are available in Black Only. RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT240 Router.


CVW402


PSKN3-700/2700


PSKN3-24/55RS


RM Series


LTB302





	4G LTE		Wi-Fi
Connections:	1	2	3
Option #1 - Industrial IoT, Enterprise			
CVW402-3C3C3J00 (2x 4G LTE, 1x WiFi)	√	√	√
Option #2 - Enterprise			
PSKN3-700/2700 (1x 4G LTE)	√		
PSKN3-700/2700 (1x 4G LTE)		√	
PSKN3-24/55RS (1x WiFi)			√
Option #3 - Industrial IoT, Enterprise			
RM-WLF (1x 4G LTE)	√		
RM-WLF (1x 4G LTE)		√	
RM-WHF (1x WiFi)			√
Option #4 (No WiFi) - Industrial IoT, Enterprise			
LTB302-3C3C00 (2x 4G LTE)	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVW and PSKN Series are available in Black Only. RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT241 Router.


CVW402


PSKN3-700/2700


PSKN3-24/55RS


RM Series


LTB302



	4G LTE		Wi-Fi
Connections:	1	2	3
Option #1 - Industrial IoT, Enterprise			
CVW402-3C3C3J00 (2x 4G LTE, 1x WiFi)	√	√	√
Option #2 - Enterprise			
PSKN3-700/2700 (1x 4G LTE)	√		
PSKN3-700/2700 (1x 4G LTE)		√	
PSKN3-24/55RS (1x WiFi)			√
Option #3 - Industrial IoT, Enterprise			
RM-WLF (1x 4G LTE)	√		
RM-WLF (1x 4G LTE)		√	
RM-WHF (1x WiFi)			√
Option #4 (No WiFi) - Industrial IoT, Enterprise			
LTB302-3C3C00 (2x 4G LTE)	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVW and PSKN Series are available in Black Only. RM Series available in Black and White. LTB Series available in Grey Only.

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT360 Router.







	4G LTE		Wi-Fi	
Connections:	1	2	3	4
Option #1 - Industrial IoT, Enterprise				
CVW502-3C3C3J3J00 (2x 4G LTE, 2x WiFi)	√	√	√	√
Option #2 - Enterprise				
Two PSKN3-700/2700 (1x 4G LTE each)	√	√		
Two PSKN3-24/55RS (1x WiFi each)			√	√
Option #3 - Industrial IoT, Enterprise				
Two RM-WLF (1x 4G LTE each)	√	√		
Two RM-WHF (1x WiFi each)			√	√
Option #4 (No WiFi) - Industrial IoT				
LTB302-3C3C00 (2x MIMO 4G LTE)	√	√		
Option #5 (No WiFi) - Industrial IoT				
LTMG502-3C3C3J3J00 (2x MIMO 4G LTE)	√	√	√	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVW and PSKN Series are available in Black Only. RM Series and LTM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT950 Router.


CVWG502


LTM502


PSKN3-700/2700


PSKN3-24/55RS


LTB302


RM Series



Top

Side

	4G LTE		Wi-Fi	
Connections:	1	2	3	4
Option #1 - Industrial IoT, Enterprise				
CVW502-3C3C3J3J00 (2x 4G LTE, 2x WiFi)	√	√	√	√
Option #2 - Industrial IoT, Enterprise				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi)	√	√	√	√
Option #3 - Enterprise				
Two PSKN3-700/2700 (1x 4G LTE each)	√	√		
Two PSKN3-24/55RS (1x WiFi each)			√	√
Option #4 (No WiFi) - Industrial IoT				
LTB302-3C3C00 (2x 4G LTE)	√	√		
Option #5 - Industrial IoT, Enterprise				
Two RM-WLF (1x 4G LTE each)	√	√		
Two RM-WHF (1x WiFi each)			√	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVW and PSKN Series are available in Black Only. LTM and RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT951 Router.


CVWG502


LTM502


PSKN3-700/2700


PSKN3-24/55RS


LTB302


RM Series



Top

Side

	4G LTE		Wi-Fi	
Connections:	1	2	3	4
Option #1 - Industrial IoT, Enterprise				
CVW502-3C3C3J3J00 (2x 4G LTE, 2x WiFi)	√	√	√	√
Option #2 - Industrial IoT, Enterprise				
LTM502-3C3C3J3J00 (2x 4G LTE, 2x WiFi)	√	√	√	√
Option #3 - Enterprise				
Two PSKN3-700/2700 (1x 4G LTE each)	√	√		
Two PSKN3-24/55RS (1x WiFi each)			√	√
Option #4 (No WiFi) - Industrial IoT				
LTB302-3C3C00 (2x 4G LTE)	√	√		
Option #5 - Industrial IoT, Enterprise				
Two RM-WLF (1x 4G LTE each)	√	√		
Two RM-WHF (1x WiFi each)			√	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVW and PSKN Series are available in Black Only. LTM and RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT955 Router.


CVWG502


LTM502


PSKN3-700/2700


PSKN3-24/55RS


LTB302


RM Series



Top

Side

	4G LTE		Wi-Fi		GNSS
Connections:	1	2	3	4	5
Option #1 - Mobile					
CVWG502-3C3C3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√
Option #2 - Mobile					
LTMG502-3C3C3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√
Option #3 (No GNSS) - Enterprise					
Two PSKN3-700/2700 (1x 4G LTE each)	√	√			
Two PSKN3-24/55RS (1x WiFi each)			√	√	
Option #4 (No WiFi) - Industrial IoT					
LTBG302-3C3C2C (2x 4G LTE)	√	√			√
Option #5 (No GNSS) - Industrial IoT, Enterprise					
Two RM-WLF (1x 4G LTE each)	√	√			
Two RM-WHF (1x WiFi each)			√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVW and PSKN Series are available in Black Only. LTM and RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUT956 Router.


CVWG502


LTM502


PSKN3-700/2700


PSKN3-24/55RS


LTB302


RM Series



Top

Side

	4G LTE		Wi-Fi		GNSS
Connections:	1	2	3	4	5
Option #1 - Mobile					
CVWG502-3C3C3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√
Option #2 - Mobile					
LTMG502-3C3C3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√
Option #3 (No GNSS) - Enterprise					
Two PSKN3-700/2700 (1x 4G LTE each)	√	√			
Two PSKN3-24/55RS (1x WiFi each)			√	√	
Option #4 (No WiFi) - Industrial IoT					
LTBG302-3C3C2C (2x 4G LTE)	√	√			√
Option #5 (No GNSS) - Industrial IoT, Enterprise					
Two RM-WLF (1x 4G LTE each)	√	√			
Two RM-WHF (1x WiFi each)			√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVW and PSKN Series are available in Black Only. LTM and RM Series available in Black and White. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTM50 Router.









Top



Side

	5G/LTE				Wi-Fi		GNSS
Connections:	1	2	3	4	5	6	7
Option #1 - With WiFi							
LTMWG942-A3CB3CW3JG2C (4x 5G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #2 - With WiFi							
MXG942-CJC (4x 5G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #3 - Without WiFi							
LTMWG940-A3CB3C00G2C (4x 5G LTE, 1x GNSS)	√	√	√	√			√
Option #5 - Without WiFi							
MXG940-CC (4x 5G LTE, 1x GNSS)	√	√	√	√			√
Option #5 - IoT							
SMG540-7C2C (4x 5G LTE, 1x GNSS)	√	√	√	√			√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug.
LTM, MX, and SM Series available in Black and White.

© 2026 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions


GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTM52 Router.









Top



Side

	5G/LTE								Wi-Fi		GNSS
Connections:	1	2	3	4	5	6	7	8	9	10	11
Option #1 - With WiFi											
LTXG1782-CJC (8x 5G LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√	√	√	√	√
Option #2 - With WiFi											
LTMWG942-A3CB3CW3JG2C (4x 5G LTE, 2x WiFi, 1x GNSS)	√	√	√	√					√	√	√
LTMW940-A3CB3C0000 (4x 5G LTE)					√	√	√	√			
Option #3 - With WiFi											
MXG942-CJC (2x 5G LTE, 2x WiFi, 1x GNSS)	√	√	√	√					√	√	√
MX940-C (2x 5G LTE, 2x WiFi, 1x GNSS)					√	√	√	√			
Option #4 - Without WiFi											
LTXG1780-CC (8x 5G LTE, 1x GNSS)	√	√	√	√	√	√	√	√			√
Option #5 - Without WiFi											
LTMWG940-A3CB3C00G2C (4x 5G LTE, 1x GNSS)	√	√	√	√							√
LTMW940-A3CB3C0000 (4x 5G LTE)					√	√	√	√			
Option #6 - Without WiFi											
MXG940-CC (4x 5G LTE, 1x GNSS)	√	√	√	√							√
MX940-C (4x 5G LTE)					√	√	√	√			

© 2026 Mobile Mark, Inc.

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTM54 Router.









Top



Side

	5G/LTE				Wi-Fi		GNSS
Connections:	1	2	3	4	5	6	7
Option #1 - With WiFi							
LTMWG942-A3CB3CW3JG2C (4x 5G/LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #2 - With WiFi							
MXG942-CJC (4x 5G/LTE, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #3 - Without WiFi							
LTMWG940-A3CB3C00G2C (4x 5G/LTE, 1x GNSS)	√	√	√	√			√
Option #4 - Without WiFi							
MXG940-CC (4x 5G/LTE, 1x GNSS)	√	√	√	√			√
Option #5 - IoT							
SMG540-7C2C (4x 5G/LTE, 1x GNSS)	√	√	√	√			√

ANTENNA CONNECTION NOTES:
The Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug.
LTM, MX, and SM Series available in Black or White.

© 2026 Mobile Mark, Inc.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX Routers.



RUTX09



RUTX10



RUTX11



RUTX12



RUTX14



RUTX50


BPN


PSKN3-700/2700


PSKN3-24/55RS


NXD-W Series


CVW Series


LTB Series


LTM Series


LTMWG900 Series


Y42700WB-2X

© 2023 Mobile Mark, Inc.

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX09 Router.















	4G LTE		GNSS/GPS
Connections:	1	2	3
Option #1 - Enterprise			
BPN940 (2x 4G LTE, 1x GPS)	√	√	√
Option #2 - Mobile			
CVWG302-3C3C2C (2x 4G LTE, 1x GNSS)	√	√	√
Option #3 - Mobile			
LTMG302-3C3C2C (2x 4G LTE, 1x GNSS)	√	√	√
Option #4 - Industrial IoT			
LTBG302-3C3C2C (2x 4G LTE, 1x GNSS)	√	√	√
Option #5 (No GNSS) - Enterprise			
Two PSKN3-700/2700 (1x 4G LTE each)	√	√	
Option #6 (No GNSS) - Enterprise, Industrial IoT			
Y42700WB-2X (2x 4G LTE)	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVWG, Y42700WB, PSKN3, and NXD-W Series available in Black Only. LTM Series available in Black & White. BPN Series available in White Only. LTB Series available in Grey Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX10 Router.


NXD-W


PSKN3-24/55RS





	Wi-Fi		Bluetooth
Connections:	1	2	3
Option #1 - Enterprise			
NXD-W-3X (3x WiFi)	√	√	√
Option #2 - Enterprise			
Three PSKN3-24/55RS (1x WiFi each)	√	√	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the NXD Model, the WiFi and Bluetooth antenna elements are attached with LMR100 and Rev Pol SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
NXD-W and PSKN3 Antennas available in Black only.

Click to Return to the TOP


MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX11 Router.


BPN940


NXD-W


CVW Series


LTM Series


LTB Series


PSKN3-700/2700


PSKN3-24/55RS


Y42700WB-2X





	4G LTE		Wi-Fi		Bluetooth	GNSS/GPS
Connections:	1	2	3	4	5	6
Option #1 - Enterprise						
BPN940 (2x 4G LTE, 1x GPS)	√	√				√
NXD-W-3X (3x WiFi)			√	√	√	
Option #2 - Mobile						
CVWG502-3C3C3J3J3J2C (2x 4G LTE, 3x WiFi, 1x GNSS)	√	√	√	√		√
Option #3 - Mobile						
LTMG602-3C3C3J3J3J2C (2x 4G LTE, 3x WiFi, 1x GNSS)	√	√	√	√	√	√
Option #4 (No WiFi) - Industrial IoT						
LTBG302-3C3C2C (2x 4G LTE, 1x GNSS)	√	√				√
Option #5 (No GNSS) - Enterprise						
Two PSKN3-700/2700 (1x 4G LTE each)	√	√				
Three PSKN3-24/55RS (1x WiFi each)			√	√	√	
Option #6 (No GNSS) - Enterprise, Industrial IoT						
Y42700WB-2X (2x 4G LTE)	√	√				
NXD-W-3X (3x WiFi)			√	√	√	

ANTENNA CONNECTION NOTES: The PSKN Device antennas have a direct connection, and the NXD models are attached with LMR100. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi & Bluetooth elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVWG, Y42700WB, PSKN3, and NXD-W Series available in Black Only. LTM Series available in Black & White. BPN Series available in White Only. LTB Series available in Grey Only.

© 2026 Mobile Mark, Inc.

Click to Return to the TOP


MobileMark
antenna solutions

GATEWAY & ANTENNA


Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX12 Router.













	4G LTE				Wi-Fi		Bluetooth	GNSS/GPS
Connections:	1	2	3	4	5	6	7	8
Option #1 - Enterprise								
BPN940 (4x 4G LTE, 1x GPS)	√	√	√	√				√
NXD-W-3X (3x WiFi)					√	√	√	
Option #2 - Mobile								
LTMG502-3C3C3J3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√			√	√	√	√
LTM402-3C3C3J3J3J00 (2x 4G LTE, 1x WiFi)			√	√			√	
Option #3 (No GNSS) - Enterprise, Industrial IoT								
Two Y42700WB-2X (2x MIMO 4G LTE each)	√	√	√	√				
NXD-W-3X (3x WiFi)					√	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES: The NXD Series models are attached with LMR100. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi & Bluetooth elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. NXD-W Series and Y42700WB are available in Black Only. LTM Series available in Black & White. BPN Series available in White Only.

Click to Return to the TOP


MobileMark
antenna solutions

GATEWAY & ANTENNA


Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX14 Router.













	4G LTE				Wi-Fi		Bluetooth	GNSS/GPS
Connections:	1	2	3	4	5	6	7	8
Option #1 - Enterprise								
BPN940 (4x 4G LTE, 1x GPS)	√	√	√	√				√
NXD-W-3X (3x WiFi)					√	√	√	
Option #2 - Mobile								
LTMG502-3C3C3J3J3J2C (2x 4G LTE, 2x WiFi, 1x GNSS)	√	√			√	√	√	√
LTM402-3C3C3J3J3J00 (2x 4G LTE, 1x WiFi)			√	√			√	
Option #3 (No GNSS) - Enterprise, Industrial IoT								
Two Y42700WB-2X (2x MIMO 4G LTE each)	√	√	√	√				
NXD-W-3X (3x WiFi)					√	√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES: The NXD Series models are attached with LMR100. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, the WiFi & Bluetooth elements are attached with LL-195 cable and Rev Pol SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. NXD-W Series and Y42700WB are available in Black Only. LTM Series available in Black & White. BPN Series available in White Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA


Match-Up Guide


This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks RUTX50 Router.

5G


LTMWG900 Series


CVWG408


Y42700WB-2X


NXD-W





	5G/LTE				Wi-Fi		GNSS
Connections:	1	2	3	4	5	6	7
Option #1 - Mobile							
LTMWG942 (4x 5G/LTE, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√
Option #2 - Industrial IoT, Enterprise, Mobile							
CVVWG408 (2x 5G/LTE, 1x WiFi, 1x GNSS)	√	√			√		√
CVVW408 (2x 5G/LTE, 1x WiFi)			√	√		√	
Option #3 - Enterprise							
Two Y42700WB-2X (2x MIMO 5G/LTE each)	√	√	√	√			
NXD-W (2x WiFi)					√	√	

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The NXD Series models are attached with LMR100. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug. The WiFi elements are attached with LL-195 cable and Rev Pol SMA Plug. The GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type.
CVWG, Y42700WB-2X, and NXD-W Series are available in Black Only. LTMWG900 Series available in Black and White.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB Gateways.



TRB140



TRB141



TRB142



TRB143



TRB145



TRB245



TRB255




TRB500


RM Series


PSKN3-700/2700


PSKN3-24/55RS


CVW-LTE


SMW Series


LTM900 Series

© 2026 Mobile Mark, Inc.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB140 Gateway.



RM-WLF



PSKN3-700/2700





	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB141 Gateway.



RM-WLF



PSKN3-700/2700





	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB142 Gateway.


RM-WLF


PSKN3-700/2700





	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB143 Gateway.



RM-WLF



PSKN3-700/2700





	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB145 Gateway.



RM-WLF



PSKN3-700/2700





	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB245 Gateway.


CVW-LTE


SMWG-312


PSKN3-700/2700


PSKN3-24/55RS



	4G LTE	GNSS
Connections:	1	2
Option #1 - Industrial IoT, Mobile		
CVW-LTE (1x 4G LTE, 1x GNSS)	√	√
Option #2 - Industrial IoT, Mobile		
SMWG-312-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3 - Industrial IoT, Mobile		
PSKN3-700/2700 (1x 4G LTE)	√	
PSKN3-24/55RS (1x WiFi)		√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVWG and PSKN3 Series are available in Black Only. SMW Series available in Black and White.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB255 Gateway.


CVW-LTE


SMWG-312


PSKN3-700/2700


PSKN3-24/55RS



	4G LTE	GNSS
Connections:	1	2
Option #1 - Industrial IoT, Mobile		
CVW-LTE (1x 4G LTE, 1x GNSS)	√	√
Option #2 - Industrial IoT, Mobile		
SMWG-312-3C002C (1x 4G LTE, 1x GNSS)	√	√
Option #3 - Industrial IoT, Mobile		
PSKN3-700/2700 (1x 4G LTE)	√	
PSKN3-24/55RS (1x WiFi)		√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug, and the GNSS elements are attached with RG-174 cable and SMA Plug. Cable length typically 15-feet but can be modified; specify Cable Connector type. CVWG and PSKN3 Series are available in Black Only. SMW Series available in Black and White.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRB500 Gateway.


LTM940


RM-WLF


PSKN3-700/2700





	4G LTE			
Connections:	1	2	3	4
Option #1 - Enterprise, Industrial IoT				
LTM940-A3CB3C00G00 (4x 5G/LTE)	√	√	√	√
Option #2 - Enterprise, Industrial IoT				
Four RM-WLF (1x 5G/LTE)	√	√	√	√
Option #3 - Enterprise				
Four PSKN3-700/2700 (1x 5G/LTE each)	√	√	√	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the other antennas, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
LTM and RM Series are available in Black and White. PSKN3 Series available in Black Only.

Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRM Modems.



TRM240



TRM250


RM Series


PSKN3-700/2700

© 2026 Mobile Mark, Inc.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRM240 Modem.







	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.


Click to Return to the TOP

MobileMark
antenna solutions

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your TELTONIKA | Networks TRM250 Modem.







	4G LTE
Connections:	1
Option #1 - Industrial IoT	
RM-WLF (1x 4G LTE)	√
Option #2 - Industrial IoT	
PSKN3-700/2700 (1x 4G LTE)	√

© 2026 Mobile Mark, Inc.

ANTENNA CONNECTION NOTES:
The PSKN Device antennas have a direct connection. For the RM Series, the Cellular elements are attached with LL-195 cable and SMA Plug.
Cable length typically 15-feet but can be modified; specify Cable Connector type.
RM Series available in Black and White. PSKN3 Series available in Black Only.