

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **BEC TECHNOLOGIES** Routers and Modems.



Module



IoT/M2M



Enterprise



Mobile



GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **BEC** **Module** Modems.

BEC
TECHNOLOGIES

Module Modems.



MX-100U



MX-100UE




MX-100UG



MX-100U 5G



CVW Series




Y42700WB-2X



LTMWG900 Series



IWG-1575



LLP Series



LTB Series



LTM Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your

BEC TECHNOLOGIES **MX-100U** Modem



LTM Series




LLP Series



LTB Series



CVW Series



Y42700WB-2X



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
LTBG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. LTB Series is available in Grey Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your

BEC TECHNOLOGIES **MX-100UE** Modem



LTM Series




LLP Series



LTB Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
LTBG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. LTB Series is available in Grey Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-100UG Modem



LTMWG900 Series



CVW Series



Y42700WB-2X



IWG-1575



Connections:	Cellular 617 - 7200 MHz				GNSS
	1	2	3	4	5
Option #1					
LTMWG940-A3CB3C00G2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√	√
Option #2					
CVW308-7C7C2C (2x 5G LTE MIMO, 1x GNSS)	√	√			√
CVW208-7C7C (2x 5G LTE MIMO)			√	√	
Option #3					
Y42700WB-2X (2x 4G/LTE MIMO)	√	√			
Y42700WB-2X (2x 4G/LTE MIMO)			√	√	
IWG-1575-2C (1x GNSS)					√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors.
LTM and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-100U 5G Modem



	Cellular 617 - 7200 MHz			
Connections:	1	2	3	4
Option #1				
LTMWG940-A3CB3C00G2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√
Option #2				
CVW308-7C7C2C (2x 5G LTE MIMO, 1x GNSS)	√	√		
CVW208-7C7C (2x 5G LTE MIMO)			√	√
Option #3				
Y42700WB-2X (2x 5G/LTE MIMO)	√	√		
Y42700WB-2X (2x 5G/LTE MIMO)			√	√
IWG-1575-2C (1x GNSS)				

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors.

LTM and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **BEC TECHNOLOGIES IoT** Routers and Modems.

BEC
TECHNOLOGIES

IoT Routers and Modems.



MX-200A



MX-200Ae



MX-200 PL9



MX-220-UT-5G



MX-230 M1




MX-240



MX-250e



CVW Series



Y42700WB-2X



LTMWG900 Series



IWG-1575



SMG-1575



LLP Series



LTB Series



LTM Series



BPN Series



RM Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-200A Router



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
LTBG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. LTB Series is available in Grey Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-200Ae Router



LTM Series




LLP Series



LTB Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
LTBG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. LTB Series is available in Grey Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-200 PL9 Router



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
LTBG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. LTB Series is available in Grey Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-220-UT-5G Modem



	Cellular 617 - 7200 MHz				GNSS
Connections:	1	2	3	4	5
Option #1					
LTMWG940-A3CB3C002C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√	√
Option #2					
BPNG940-3C002C (2x 5G LTE MIMO, 1x GNSS)	√	√			√
Option #3					
CVWG308-7C7C2C (2x 5G LTE MIMO, 1x GNSS)	√	√			√
CVW208-7C7C (2x 5G LTE MIMO)			√	√	
Option #4					
Y42700WB-2X (2x 5G LTE MIMO)	√	√			
Y42700WB-2X (2x 5G LTE MIMO)			√	√	
IWG-1575-2C (1x GNSS)					√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors.

LTM and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-230 M1 Modem



	Cellular 699 - 2170 MHz	GNSS
Connections:	1	2
Option #1		
RM-WLF (1x 4G/LTE)	√	
SMG-1575-2C (1x GNSS)		√
Option #2		
LTBG302-3C002C (1x 4G/LTE, 1x GNSS)	√	√
Option #3		
LLPG302-3C002C (1x 4G/LTE, 1x GNSS)	√	√
Option #4		
LTMG302-3C002C (1x 4G/LTE, 1x GNSS)	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors.

RM, LLP, and LTM Series are available in either Black or White. SMG Series is available in White Only. LTB Series is available in Grey Only.


GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-240 Modem



	Cellular 3400 - 3800 MHz			
Connections:	1	2	3	4
Option #1				
LTMG940-A3CB3C0000 (4x 4G/LTE MIMO)	√	√	√	√
Option #2				
BPN940-3C0000 (4x 4G/LTE MIMO)	√	√	√	√
Option #3				
CVW208-7C7C (2x 4G/LTE MIMO)	√	√		
CVW208-7C7C (2x 4G/LTE MIMO)			√	√
Option #4				
Y42700WB-2X (2x 4G/LTE MIMO)	√	√		
Y42700WB-2X (2x 4G/LTE MIMO)			√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.

LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-250e Modem



	Cellular 617 - 7200 MHz				GNSS
Connections:	1	2	3	4	5
Option #1					
LTMWG940-A3CB3C002C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√	√
Option #2					
BPNG940-3C002C (2x 5G LTE MIMO, 1x GNSS)	√	√			√
Option #3					
CVWG308-7C7C2C (2x 5G LTE MIMO, 1x GNSS)	√	√			√
CVW208-7C7C (2x 5G LTE MIMO)			√	√	
Option #4					
Y42700WB-2X (2x 5G LTE MIMO)	√	√			
Y42700WB-2X (2x 5G LTE MIMO)			√	√	
IWG-1575-2C (1x GNSS)					√

ANTENNA CONNECTION NOTES:

Cellular antenna elements attached with LL-195 cable and SMA plug connectors.

LTM and CVW Series are available in either Black or White. Y42700WB-2X and IWG are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **BEC TECHNOLOGIES Enterprise** Routers and Modems.



MX-210NP R7-Q



MX-210NP R17



MX-210NP R17-AF



MX-221P



MX-241NP



MX-600 for MX-100UG



MX-1200 for MX-100UG



MX-600 for MX-100U 5G



MX-1200 for MX-100U 5G



6500AEL R18




6500AEL R21



6600AEL R24



CVW Series



Y42700WB-2X



LTMWG900 Series



IWG-1575



LLP Series



BPN Series



LTM Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-210NP R7-Q Router



LTM Series



LLP Series



BPN Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
BPNG940-3C002C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-210NP R17 Modem



LTM Series




LLP Series



BPN Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
BPNG940-3C002C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-210NP R17-AF Modem



LTM Series




LLP Series



BPN Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
BPNG940-3C002C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-2C2C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-221P Modem



LTM Series



LLP Series



BPN Series



CVW Series



Y42700WB-2x



IWG-1575



	Cellular 694 - 3700 MHz		GNSS
Connections:	1	2	3
Option #1			
LTMG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #2			
LLPG302-3C3C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #3			
BPNG940-3C002C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #4			
CVWG302-7C7C2C (2x 4G/LTE MIMO, 1x GNSS)	√	√	√
Option #5			
Y42700WB-2X (2x 4G/LTE MIMO)	√	√	
IWG-1575-2C (1x GNSS)			√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors, GNSS antenna elements are attached with RG-174 cable and SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X and IWG-1575 are available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-241NP Modem



	Cellular 694 - 3700 MHz	
Connections:	1	2
Option #1		
LTM202-3C3C (2x 4G/LTE MIMO)	√	√
Option #2		
LLP202-3C3C (2x 4G/LTE MIMO)	√	√
Option #3		
BPN920-3C0000 (2x 4G/LTE MIMO)	√	√
Option #4		
CVW208-7C7C (2x 4G/LTE MIMO)	√	√
Option #5		
Y42700WB-2X (2x 4G/LTE MIMO)	√	√

ANTENNA CONNECTION NOTES:

Cellular antenna elements are attached with LL-195 cable and SMA plug connectors.

LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-600 Router for **MX100UG**



LTM Series



BPN Series



CVW Series



Y42700WB-2X



	Cellular 694 - 3700 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMG942-A3CB3CW3JG2C (4x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
LTMG940-A3CB3C00G2C (4x 4G/LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #3							
BPN942-3C3J2C (4x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #4							
BPN940-3C002C (4x 4G/LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #5							
CVWG502-2C2C2J2J2C (2x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√			√	√	√
CVW202-2C2C (2x 4G/LTE MIMO)			√	√			
Option #6							
Two Y42700WB-2X (2x 4G/LTE MIMO)	√	√	√	√			

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-1200 Router for **MX100UG**



LTM Series



BPN Series



CVW Series



Y42700WB-2X



	Cellular 694 - 3700 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMG942-A3CB3CW3JG2C (4x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
LTMG940-A3CB3C00G2C (4x 4G/LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #3							
BPN942-3C3J2C (4x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #4							
BPN940-3C002C (4x 4G/LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #5							
CVWG502-2C2C2J2J2C (2x 4G/LTE MIMO, 2x WiFi, 1x GNSS)	√	√			√	√	√
CVW502-2C2C2J2J00 (2x 4G/LTE MIMO)			√	√			
Option #6							
Two Y42700WB-2X (2x 4G/LTE MIMO)	√	√	√	√			

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.


GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-600 Router for **MX-100U 5G**



	Cellular 694 - 3700 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3CB3CW3JG2C (4x 5G LTE MIMO, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
LTMWG940-A3CB3C00G2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #3							
BPN942-3C3J2C (4x 5G LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #4							
BPN940-3C002C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #5							
CVWG508-7C7C7J7J2C (2x 5G LTE MIMO, 2x WiFi, 1x GNSS)	√	√			√	√	√
CVW208-7C7C (2x 5G LTE MIMO)			√	√			
Option #6							
Two Y42700WB-2X (2x 4G/LTE MIMO)	√	√	√	√			

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



MX-1200 Router for **MX-100U 5G**



	Cellular 694 - 3700 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz		GNSS
Connections:	1	2	3	4	5	6	7
Option #1							
LTMWG942-A3CB3CW3JG2C (4x 5G LTE MIMO, 2x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√
Option #2							
LTMWG940-A3CB3C00G2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #3							
BPN942-3C3J2C (4x 5G LTE MIMO, 2x WiFi, 1x GNSS)	√	√	√	√	√	√	√
Option #4							
BPN940-3C002C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√			√
Option #5							
CVWG508-7C7C7J7J2C (2x 5G LTE MIMO, 2x WiFi, 1x GNSS)	√	√			√	√	√
CVW508-7C7C7J7J00 (2x 5G LTE MIMO)			√	√			
Option #6							
Two Y42700WB-2X (2x 4G/LTE MIMO)	√	√	√	√			

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



6500AEL R18 Modem



	Cellular 694 - 3700 MHz		WiFi 2.4 - 2.5 & 4.9 - 6 GHz	
Connections:	1	2	3	4
Option #1				
LTM502-3C3C3J3J00 (2x 4G/LTE MIMO, 2x WiFi)	√	√	√	√
Option #2				
LLP502-3C3C3J3J00 (2x 4G/LTE MIMO, 2x WiFi)	√	√	√	√
Option #3				
BPN922-3C3J00 (1x 4G/LTE MIMO, 1x WiFi)	√		√	
Option #4				
CVW508-7C7C7J7J00 (2x 4G/LTE MIMO, 2x WiFi)	√	√	√	√
Option #5				
Y42700WB-2X (2x 4G/LTE MIMO)	√	√		

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable. Cellular cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



6500AEL R21 Router



	Cellular 694 - 3700 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz	
Connections:	1	2	3	4	5	6
Option #1						
LTMG944-A3CB3CW3JG00 (4x 4G/LTE MIMO, 2x WiFi)	√	√	√	√	√	√
Option #2						
BPN942-3C3J00 (4x 4G/LTE MIMO, 2x WiFi)	√	√	√	√		
Option #3						
CVW508-7C7C7J7J00 (2x 4G/LTE MIMO, 2x WiFi)	√	√			√	√
CVW508-7C7C7J7J00 (2x 4G/LTE MIMO)			√	√		
Option #4						
Y42700WB-2X (2x 4G/LTE MIMO)	√	√				
Y42700WB-2X (2x 4G/LTE MIMO)			√	√		

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable. Cellular cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM, LLP, and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



6600AEL R24 Router



	Cellular 617 - 7200 MHz				WiFi 2.4 - 2.5 & 4.9 - 7.2 GHz	
Connections:	1	2	3	4	5	6
Option #1						
LTMWG944-A3CB3CW3JG00 (4x 4G/LTE MIMO, 4x WiFi 6E)	√	√	√	√	√	√
Option #2						
BPN942-3C3J00 (4x 4G/LTE MIMO, 2x WiFi)	√	√	√	√		
Option #3						
CVW508-7C7C7J7J00 (2x 4G/LTE MIMO, 2x WiFi)	√	√			√	√
CVW508-7C7C7J7J00 (2x 4G/LTE MIMO)			√	√		
Option #4						
Y42700WB-2X (2x 4G/LTE MIMO)	√	√				
Y42700WB-2X (2x 4G/LTE MIMO)			√	√		

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable. Cellular cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM and CVW Series are available in either Black or White. Y42700WB-2X is available in Black Only. BPN Series is available in White Only.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **BEC** **Mobile** Routers.

BEC
TECHNOLOGIES

Mobile Routers.



M600 5G



M600-FA-5G



M600-M12 5G



M600-M12-FA 5G




LTMWG900 Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



Front



Back

	Cellular 617 - 7200 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz				GNSS
Connections:	1	2	3	4	5	6	7	8	9
Option #1									
LTMWG944-A3CB3CW3JG2C (4x 5G LTE MIMO, 4x WiFi, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #2									
LTMWG940-A3CB3C00G2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√


ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM Series is available in either Black or White.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



	Cellular 617 - 7200 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz				GNSS
Connections:	1	2	3	4	5	6	7	8	9
Option #1									
LTMWG944-A3HAB3HAW3HVG2HC (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #2 - NFPA130									
PR-LTMWG944-A3HAB3HAW3HVG2HC (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #3									
LTMWG940-A3HAB3HA00G2HC (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√
Option #4 - NFPA130									
PR-LTMWG940-A3HAB3HA00G2HC (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors, and GNSS cables are attached with Fakra connectors. LTM Series is available in either Black or White.

GATEWAY & ANTENNA


Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your

BEC
TECHNOLOGIES

M600-M12 5G Router

5G



	Cellular 617 - 7200 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz				GNSS
Connections:	1	2	3	4	5	6	7	8	9
Option #1									
LTMWG944-ACB3CW3JG2C (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #2 - NFPA130									
PR-LTMWG944-ACB3CW3JG2C (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #3									
LTMWG940-ACB3CW3JG2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√
Option #4 - NFPA130									
PR-LTMWG940-ACB3CW3JG2C (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular and GNSS cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors. LTM Series is available in either Black or White.


GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



M600-M12-FA 5G Router



Front



Back

	Cellular 617 - 7200 MHz				WiFi 2.4 - 2.5 & 4.9 - 6 GHz				GNSS
Connections:	1	2	3	4	5	6	7	8	9
Option #1									
LTMWG944-A3HAB3HAW3HVG2HC (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #2 - NFPA130									
PR-LTMWG944-A3HAB3HAW3HVG2HC (4x 5G LTE MIMO, 4x WiFi 6E, 1x GNSS)	√	√	√	√	√	√	√	√	√
Option #3									
LTMWG940-A3HAB3HA00G2HC (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√
Option #4 - NFPA130									
PR-LTMWG940-A3HAB3HA00G2HC (4x 5G LTE MIMO, 1x GNSS)	√	√	√	√					√

ANTENNA CONNECTION NOTES:

Cellular and WiFi antenna elements attached with LL-195 cable, GNSS antenna elements are attached with RG-174 cable. Cellular cables are attached with SMA plug connectors, WiFi cables are attached with RP-SMA plug connectors, and GNSS cables are attached with Fakra connectors. LTM Series is available in either Black or White.