


GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  Router.



IR302-FQ33-WLAN LTE Router



IR301-FQ02-WLAN CAT M1



IR615-S-FB13-WLAN
IR615-S-FB23-WLAN
IR615-S-FS18-WLAN



PSKN5-626-S



IR302-FQ38-WLAN LTE Router



IR301-FQ02-WLAN LTE CAT NB2



IR615-S-FQ38-WLAN



SMW Series



CVW Series



LMW Series



LLP Series



LTM Series

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your **IR302-FQ33-WLAN** Router



	4G LTE 694 - 3700 MHz		WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz
Connections:	1	2	3
Option #1			
LTM302-3C3C00 (2x LTE, No WiFi)	√	√	
Option #2			
LLP302-3C3C00 (2x LTE, No WiFi)	√	√	
Option #3			
LTM402-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√
Option #4			
CVW402-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MLTM302, MLTM402, MLP302 for Mag Mount Models.
 Specify CLTM302 & CLTM402 for Ceiling Mount Models.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



IR302-FQ38-WLAN Router



	Sub-6 & 5G 600 - 6000 MHz		WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz
Connections:	1	2	3
Option #1			
LTM308-3C3C00 (2x LTE, No WiFi)	√	√	
Option #2			
LLP308- 3C3C00 (2x LTE, No WiFi)	√	√	
Option #3			
LTM408-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√
Option #4			
LLP408-3C3C3J00 (2x LTE, 1x WiFi)	√	√	√

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MLTM308, MLTM408, MLP308, MLP408 for Mag Mount Models.
 Specify CLTM308 & CLTM408 for Ceiling Mount Models.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



IR301-FQ02-WLAN (CAT M1) Router



	4G LTE 694 - 3700 MHz	WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz
Connections:	1	2
Option #1		
LMW202-3C00 (1x LTE, NO WiFi)	√	
Option #2		
SMW-311-3C3J00 (1x LTE, 1x WiFi)	√	√
Option #3		
LLP202-3C00 (1x LTE, NO WiFi)	√	

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MGW-311 or MLP202 for a Mag Mount Model.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your  **IR301-FQ02-WLAN** (CAT NB2) Router



	Sub-6 & 5G 600 - 6000 MHz	WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz
Connections:	1	2
Option #1		
LTM308-3C0000 (1x LTE, No WiFi)	√	
Option #2		
LLP308-3C0000 (1x LTE, No WiFi)	√	
Option #3		
LTM408-3C003C00 (1x LTE, 1x WiFi)	√	√
Option #4		
LLP408-3C003C00 (1x LTE, 1x WiFi)	√	√
Option #5		
PSKN5-626-S (1x LTE, No WiFi)	√	

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MLTM308, MLTM408, MGW308, MGW408 for a Mag Mount Model.
 PSKN5-626-S device antenna provides a SMA Plug Connection.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



IR615-S-FB13-WLAN Router

IR615-S-FB23-WLAN Router

IR615-S-FS18-WLAN Router



	4G LTE 694 - 3700 MHz		WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz	
	1	2	3	4
Connections:				
Option #1				
LLP502-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #2				
LTM502-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #3				
LLP202-3C3C (2x LTE, NO WiFi)	√	√		
Option #4				
LTM302-3C3C00 (2x LTE, NO WiFi)	√	√		

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MLP502, MLTM502, MLP202, MLTM302 for Mag Mount Models.
 Specify CLTM502 & CLTM302 for Ceiling Mount Models.

GATEWAY & ANTENNA

Match-Up Guide

This Guide shows Mobile Mark Antennas that are COMPATIBLE with your



IR615-S-FQ38-WLAN Router



	Sub-6 & 5G 600 - 6000 MHz		WiFi 2.4 - 2.5 GHz & 4.9 - 6 GHz	
Connections:	1	2	3	4
Option #1				
LLP508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #2				
LTM508-3C3C3J3J00 (2x LTE, 2x WiFi)	√	√	√	√
Option #3				
LLP308-3C3C00 (2x LTE, NO WiFi)	√	√		
Option #4				
LTM308-3C3C00 (2x LTE, NO WiFi)	√	√		

ANTENNA CONNECTION NOTES:
 Cellular antenna elements attached with LL-195 cable and SMA plug connectors.
 WiFi antennas element attached with LL-195 cable and Rev Pol SMA plug connectors.
 Cable length typically 15-feet but can be specified.
 Specify MLP508, MLTM508, MLP308, MLTM308 for Mag Mount Models.
 Specify CLTM508 & CLTM308 for Ceiling Mount Models.