

Technical Specification

144-174MHz 9dBd Gain

<u>Y3315</u>

YAGI ANTENNA

High Performance: These 5 element yagi antennas provide 9dBd gain.

Rugged and weatherproof: The construction of these heavy duty yagis feature a 1" aluminum U channel boom and 3/8" solid elements.

Functional & Durable: These yagi antennas are easily installed by one person. They can be field tuned for lowest VSWR without cutting any elements. They are designed to withstand 125 MPH winds.

Mounting: These antennas are supplied with the YDM2 double V-

bolt mounting kit.

Termination Options:
Type A: N connector
Type C: SO239 (standard)

UPS Shippable: These antennas are shipped unassembled and

may incur UPS premium charge.

ELECTRICAL SPECIFICATIONS:

FREQUENCY: A 144-150MHz

B 150-156MHz C 156-162MHz D 162-166MHz E 168-174MHz

 VSWR:
 <2:1</td>

 GAIN:
 9dBd

 RATING:
 300 watts

 BANDWIDTH:
 8MHz

 F to B
 18dB

 IMPEDANCE:
 50 ohms

MECHANICAL SPECIFICATIONS:

MATERIAL: 1" (2.54cm) aluminum U channel boom

3/8" (9.5mm)solid elements

FINISH: Clear anodize

MOUNTING: 2 3/8" (6cm) mast max.

 HARDWARE:
 Stainless steel

 LENGTH:
 74"(1.8m)


 WIDTH:
 38" (96.5cm)

 WEIGHT:
 8 lbs. (4kg)


 FLAT PLATE AREA:
 .84 ft²

WIND RATING: 125 MPH (201kph) **WIND LOAD:** 50.4 lbs. (50.4kg)

SHIPPING: UPS



Vertical Pattern



Horizontal Pattern

