

**Performance:** These antennas provide 3dBd/5dBi gain. They are designed for heavy duty service. They have a power handling capacity of 150 watts. They provide excellent performance over an extremely wide frequency spectrum.

**Stylish and Durable:** These antennas are manufactured using the finest materials and finishes available. The covers are molded in a white color using UV inhibited ABS plastic. They are available as a special order in black.

**Standard Mounting:** These antennas are designed to be used as ceiling mount antennas but can be mounted on cabinets or housings for omni-directional operation. Type "N" termination on the end of a 12" Teflon low loss coax is standard. Custom terminations are also available. No ground plane is required for standard operation.




#### ELECTRICAL SPECIFICATIONS:

**FREQUENCY RANGE:** 698MHz-2700MHz  
**GAIN:** 3dBd / 5dBi  
**IMPEDANCE:** 50 ohms  
**POWER RATING:** 150 watts  
**VSWR:** <2.0:1

#### MECHANICAL SPECIFICATIONS:

**RADOME:** UV inhibited ABS plastic  
**HEIGHT:** 4" (10cm)  
**DIAMETER:** 6 3/4" (17cm)  
**MOUNTING:** Type "N" Female 12" Pigtail (30cm)  
**COLOR:** White

**Vertical Pattern**



**Inverted Vertical Pattern**

